

	Hits	Search Text	DBs
1	9	((("20030014397") or ("5835755") or ("6012067") or ("6889360") or ("6141660") or ("6810429") or ("6901403") or ("6910216") or ("20030101194"))) .PN.	US-PGPUB; USPAT
2	17551	(hierarchical near5 (data\$1base\$1 or storage\$1 or repositor\$3)) or IMS\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	14038	7 and @ad < "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	1255	8 and (xml or (extensible adj markup adj language))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	51	9 and (metadata near5 schema\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	36	10 and root\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	27	11 and databases	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	20	12 and (((break\$4 or cut\$4off or divid\$4) near4 (point\$1 or line\$1)) or divid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	20	13 and (writ\$4 or stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	2	14 and ((generat\$4 or build\$4 or form\$4 or structur\$4) with index\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	1	14 and (quer\$4 and inquir\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	0	16 and (quer\$4 and inquir\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	1	16 and map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	23 and (name\$1 or label\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	1	24 and match\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	1	25 and assembl\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	1	2 and (metadata near5 schema\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	1	27 and (xml or (extensible adj markup adj language))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
19	1	28 and ((hierarchical near5 (data\$1base\$1 or storage\$1 or repositor\$3)) or IMS\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	1	29 and ((generat\$4 or build\$4 or form\$4 or structur\$4) with index\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	1	30 and map\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	0	31 and (quer\$4 and inquir\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	1	31 and (writ\$4 or stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	0	33 and (((break\$4 or cut\$4off or divid\$4) near4 (point\$1 or line\$1)) or divid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
25	0	33 and assembl\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	1	33 and match\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB